

Bandwidth Testing

- [Preparation](#)
- [Web Browser based speed test](#)
- [WiscNet-hosted iperf](#)
 - [Unidirectional UDP 1Gbps circuit test](#)
 - [Command](#)
 - [Results](#)
 - [Bidirectional UDP 1Gbps circuit test](#)
 - [Command](#)
 - [iperf Server](#)
- [iperf Installation](#)
 - [Microsoft Windows](#)
 - [Apple macOS](#)
 - [Unix/Linux](#)
- [BadgerNet Overview](#)
 - [Speed Testing Tools](#)
 - [Location of testing laptop/PC in the network](#)
 - [Time of Day](#)
 - [Mid-day Testing](#)

Preparation



Please note that

1. For best results please test while connected to wired ethernet
2. The accuracy of this speed test diminishes with larger bandwidth circuits
3. The hardware performance of the computer running this test has a significant impact on results
4. Any other activity on your network and any devices between your computer and the Internet will impact your speed.

You will see the best results if you schedule a time to disconnect your local network and plug your test computer directly into the WiscNet router.

If you cannot take down your network, we recommend connecting your test computer to your network as close as you can to the WiscNet device and using graphs.wiscnet.net or local monitoring to estimate how much bandwidth is being used before you start your test.

Web Browser based speed test

- <http://speedtest.wiscnet.net/openspeedtest> - WiscNet's locally hosted web based speedtest. Server has 10gbps connectivity.
- <https://fast.com/> - Alternate speedtest hosted by Netflix but served from WiscNet's network

WiscNet-hosted iperf

iperf is a network testing tool used to help measure network throughput. It's developed by ESnet / Lawrence Berkeley National Laboratory. For more information please visit <http://software.es.net/iperf/> and <https://github.com/esnet/iperf>

Overview

- iperf is an open source tool. There are clients for Mac, Linux, BSD, etc. There is a port for Windows; however, in our testing we found it to lack certain features and to lag in performance.
- iperf operates where one end is the client, the other is the server.

WiscNet Server Details

- WiscNet runs an iperf version 2 server in Madison, WI. This server has a 10gbps uplink.
- The server is restricted to WiscNet IP addresses
- iperf2 and iperf3 are incompatible
- iperf.wiscnet.net runs a TCP iperf server on the default port 5001
- iperf.wiscnet.net runs a UDP iperf server on port 5001
- iperf.ipv6.wiscnet.net runs a v6 TCP iperf server on port 5001
- iperf.ipv6.wiscnet.net runs a v6 UDP iperf server on port 5001

TCP vs UDP Testing

- iperf uses TCP by default. TCP has built in congestion avoidance. If TCP detects any packet loss, it assumes that the link capacity has been reached, and it slows down. This works very well, unless there is packet loss caused by something other than congestion. If there is packet loss due to errors, TCP will back off even if there is plenty of capacity. iperf allows TCP to send as fast as it can, which generally works to fill a clean, low latency link with packets. If a path is not clean/error free or has high latency, TCP will have a difficult time filling it. For testing higher capacity links and for links with higher latency, you will want to adjust the window size (-w option).
- By using the -u option, you have told iperf to use UDP packets, rather than TCP. UDP has no built in congestion avoidance, and iperf doesn't implement it either. When doing a UDP test, iperf requires that the bandwidth of the test be specified. If it isn't, it defaults to 1Mb/s. You can use the -b option to specify bandwidth to test. iperf will then send packets at the request rate for the requested period of time. The other end measures how many packets are received vs how many were sent and reports its results.

Some Common iperf Flags

- Enter **iperf -h** or **man iperf** depending on your operating system. Here are some common flags:

Flag	Details	Example
-c	Client mode	-c
-t	Time to run the test in seconds	-t 30
-P	Number of parallel connections	-P 2
-u	UDP (default is TCP)	-u
-b	Bandwidth per thread	-b 250m
-i	Interval between bandwidth reports in seconds	-i 1
-L	Listen on port	-L 5001
-r	bidirectional test (individually)	-r
-d	bidirectional test (simultaneously)	-d
-V	Use ipv6 (this is required even when specifying an IPv6 address)	-V



The hardware performance of the client running this test has a significant impact on results

WiscNet has noticed that the iperf clients for Linux, Unix, and macOS perform better than the ports for Windows

These commands are for iperf 2, not iperf 3

Unidirectional UDP 1Gbps circuit test

Command

```
iperf -c iperf.wiscnet.net -t 60 -P 20 -u -b 50m -i1
```



"-t 10" = 10 seconds. Since graphs.wiscnet.net pools every 5 minutes, you can modify the -t parameter to run it long enough for the graphs to reflect the speeds.

On some windows platforms, the above command works great for the upload and the command below generates more traffic for the download

```
iperf -c iperf.wiscnet.net -t 60 -P 10 -u -b 100m -i1
```

Results

When running multiple threads you must look at the **SUM** lines for total throughput. Output below shows successfully getting 953Mbits/sec through

```
$ iperf -c iperf.wiscnet.net -t 10 -P 4 -u -b 250m -i1
```

```
-----  
Client connecting to iperf.wiscnet.net, UDP port 5001
```

```
Sending 1470 byte datagrams
```

```
UDP buffer size: 208 KByte (default)  
-----
```

```
[ 5] local 10.0.10.105 port 44098 connected with 205.213.14.56 port 5001  
[ 3] local 10.0.10.105 port 46090 connected with 205.213.14.56 port 5001  
[ 4] local 10.0.10.105 port 38200 connected with 205.213.14.56 port 5001  
[ 6] local 10.0.10.105 port 59296 connected with 205.213.14.56 port 5001
```

[ID]	Interval	Transfer	Bandwidth
[5]	0.0- 1.0 sec	28.4 MBytes	238 Mbits/sec
[3]	0.0- 1.0 sec	28.5 MBytes	239 Mbits/sec
[4]	0.0- 1.0 sec	28.6 MBytes	240 Mbits/sec
[6]	0.0- 1.0 sec	28.6 MBytes	240 Mbits/sec
[SUM]	0.0- 1.0 sec	114 MBytes	957 Mbits/sec
[5]	1.0- 2.0 sec	28.5 MBytes	239 Mbits/sec
[3]	1.0- 2.0 sec	28.4 MBytes	238 Mbits/sec
[4]	1.0- 2.0 sec	28.5 MBytes	239 Mbits/sec
[6]	1.0- 2.0 sec	28.2 MBytes	236 Mbits/sec
[SUM]	1.0- 2.0 sec	114 MBytes	953 Mbits/sec
[5]	2.0- 3.0 sec	28.4 MBytes	238 Mbits/sec
[3]	2.0- 3.0 sec	28.2 MBytes	237 Mbits/sec
[4]	2.0- 3.0 sec	28.6 MBytes	240 Mbits/sec
[6]	2.0- 3.0 sec	28.5 MBytes	239 Mbits/sec
[SUM]	2.0- 3.0 sec	114 MBytes	953 Mbits/sec
[5]	3.0- 4.0 sec	28.3 MBytes	238 Mbits/sec
[3]	3.0- 4.0 sec	28.3 MBytes	238 Mbits/sec
[4]	3.0- 4.0 sec	28.5 MBytes	239 Mbits/sec
[6]	3.0- 4.0 sec	28.4 MBytes	239 Mbits/sec
[SUM]	3.0- 4.0 sec	114 MBytes	952 Mbits/sec
[5]	4.0- 5.0 sec	28.3 MBytes	237 Mbits/sec
[3]	4.0- 5.0 sec	28.3 MBytes	238 Mbits/sec
[4]	4.0- 5.0 sec	28.3 MBytes	238 Mbits/sec
[6]	4.0- 5.0 sec	28.7 MBytes	241 Mbits/sec
[SUM]	4.0- 5.0 sec	114 MBytes	954 Mbits/sec
[5]	5.0- 6.0 sec	28.6 MBytes	240 Mbits/sec
[3]	5.0- 6.0 sec	28.4 MBytes	238 Mbits/sec
[4]	5.0- 6.0 sec	28.3 MBytes	238 Mbits/sec
[6]	5.0- 6.0 sec	28.5 MBytes	239 Mbits/sec
[SUM]	5.0- 6.0 sec	114 MBytes	955 Mbits/sec
[5]	6.0- 7.0 sec	28.5 MBytes	239 Mbits/sec
[3]	6.0- 7.0 sec	28.3 MBytes	238 Mbits/sec
[4]	6.0- 7.0 sec	28.5 MBytes	239 Mbits/sec
[6]	6.0- 7.0 sec	28.3 MBytes	237 Mbits/sec
[SUM]	6.0- 7.0 sec	114 MBytes	953 Mbits/sec
[5]	7.0- 8.0 sec	28.4 MBytes	238 Mbits/sec
[3]	7.0- 8.0 sec	28.4 MBytes	238 Mbits/sec
[4]	7.0- 8.0 sec	28.3 MBytes	238 Mbits/sec
[6]	7.0- 8.0 sec	28.5 MBytes	239 Mbits/sec
[SUM]	7.0- 8.0 sec	114 MBytes	953 Mbits/sec
[5]	8.0- 9.0 sec	28.5 MBytes	239 Mbits/sec
[3]	8.0- 9.0 sec	28.3 MBytes	237 Mbits/sec
[4]	8.0- 9.0 sec	28.4 MBytes	238 Mbits/sec
[6]	8.0- 9.0 sec	28.4 MBytes	238 Mbits/sec
[SUM]	8.0- 9.0 sec	114 MBytes	953 Mbits/sec

```
read failed: Connection refused
```

```
[ 3] WARNING: did not receive ack of last datagram after 1 tries.
```

```
[ 5] 9.0-10.0 sec 28.5 MBytes 239 Mbits/sec
```

```
[ 5] 0.0-10.0 sec 284 MBytes 239 Mbits/sec
```

```
[ 5] Sent 202875 datagrams
```

```
[ 3] 0.0-10.0 sec 284 MBytes 238 Mbits/sec
```

```
[ 3] Sent 202276 datagrams
```

```
[ 4] 0.0-10.0 sec 284 MBytes 239 Mbits/sec
```

```
[ 4] Sent 202852 datagrams
```

```
[ 6] 0.0-10.0 sec 285 MBytes 239 Mbits/sec
```

```
[ 6] Sent 203078 datagrams
```

```
[SUM] 0.0-10.0 sec 1.11 GBytes 954 Mbits/sec
```

```
read failed: Connection refused
```

```
[ 5] WARNING: did not receive ack of last datagram after 5 tries.
```

```
read failed: Connection refused
[ 6] WARNING: did not receive ack of last datagram after 9 tries.
[ 4] WARNING: did not receive ack of last datagram after 10 tries.
```

Bidirectional UDP 1Gbps circuit test



Check your firewall settings and NAT to ensure port 5001 is open to your host

Command

```
iperf -c iperf.wiscnet.net -t 60 -P 20 -u -b 50m -i1 -r
```

iperf Server

iperf can be run as a server so someone else can run tests against your machines.

```
iperf -s
```

iperf Installation

Microsoft Windows

Windows - Install

- Download and extract iperf2: [iperf-2.0.10-win.zip](#)
- Right-click the downloaded iperf-2.0.10-win32.zip file and extract the contents of the .zip to any folder (seen here under \Users\Administrator)
- Open a command prompt and navigate to the extracted iperf2 folder:

```
cd \Users\Administrator\iperf-2.0.10-win\
dir
```

Administrator > iperf-2.0.9-win32				
Name	Date modified	Type	Size	
 checkdelay	7/12/2017 11:06 AM	Application	63 KB	
 cyggcc_s-1.dll	7/12/2017 11:06 AM	Application extens...	108 KB	
 cygstdc++-6.dll	7/12/2017 11:06 AM	Application extens...	1,451 KB	
 cygwin1.dll	7/12/2017 11:06 AM	Application extens...	3,571 KB	
 iperf	7/12/2017 11:06 AM	Application	160 KB	

```
Administrator: Command Prompt

Microsoft Windows [Version 6.3.9600]
(c) 2013 Microsoft Corporation. All rights reserved.

C:\Users\Administrator>cd \Users\Administrator\iperf-2.0.9-win32

C:\Users\Administrator\iperf-2.0.9-win32>dir
Volume in drive C has no label.
Volume Serial Number is A44A-EFBE

Directory of C:\Users\Administrator\iperf-2.0.9-win32

07/12/2017  11:06 AM    <DIR>          .
07/12/2017  11:06 AM    <DIR>          ..
07/12/2017  11:06 AM             63,671 checkdelay.exe
07/12/2017  11:06 AM             110,109 cyggcc_s-1.dll
07/12/2017  11:06 AM          1,485,341 cygstdc++-6.dll
07/12/2017  11:06 AM          3,656,581 cygwin1.dll
07/12/2017  11:06 AM             163,262 iperf.exe
               5 File(s)          5,478,964 bytes
               2 Dir(s)  23,222,792,192 bytes free

C:\Users\Administrator\iperf-2.0.9-win32>_
```

Windows - Example

```
Administrator: Command Prompt

Microsoft Windows [Version 6.3.9600]
(c) 2013 Microsoft Corporation. All rights reserved.

C:\Users\Administrator>cd iperf-2.0.9-win32

C:\Users\Administrator\iperf-2.0.9-win32>iperf -c iperf.wiscnet.net

-----
Client connecting to iperf.wiscnet.net, TCP port 5001
TCP window size: 63.0 KByte (default)
-----

[  3] local 10.0.10.129 port 49189 connected with 205.213.14.56 port 5001
[ ID] Interval           Transfer     Bandwidth
[  3]  0.0- 7.7 sec   87.0 MBytes  94.4 Mbits/sec

C:\Users\Administrator\iperf-2.0.9-win32>_
```

Apple macOS

- Download and extract: [iperf-2.0.5-macos-x86_64.zip](#)
- Open a terminal
- cd to your extracted iperf folder

macOS - Install

```
iMac:~ $ cd Downloads/iperf-2.0.5-macos-x86_64
```

```
iMac:iperf-2.0.5-macos-x86_64 $ ls -lh
```

```
total 176
-rw-r--r--  1  staff   693B Feb 20  2011 README
drwxr-xr-x@ 8  staff   272B Feb 20  2011 doc
-rwxr-xr-x@ 1  staff    78K Feb 20  2011 iperf
-rw-r--r--@ 1  staff   3.7K Feb 20  2011 iperf.1
```

macOS - Example

```
$ ./iperf -c iperf.wiscnet.net -t 10 -P 20 -u -b 50m -i1
```

```
-----
Client connecting to iperf.wiscnet.net, UDP port 5001
Sending 1470 byte datagrams
UDP buffer size: 9.00 KByte (default)
-----
```

```
[ 24] local 10.0.10.144 port 56371 connected with 205.213.14.56 port 5001
[  5] local 10.0.10.144 port 64614 connected with 205.213.14.56 port 5001
[  8] local 10.0.10.144 port 53381 connected with 205.213.14.56 port 5001
[  6] local 10.0.10.144 port 62212 connected with 205.213.14.56 port 5001
[ 10] local 10.0.10.144 port 50300 connected with 205.213.14.56 port 5001
[ 14] local 10.0.10.144 port 62009 connected with 205.213.14.56 port 5001
[ 15] local 10.0.10.144 port 50449 connected with 205.213.14.56 port 5001
[ 13] local 10.0.10.144 port 56271 connected with 205.213.14.56 port 5001
[ 16] local 10.0.10.144 port 53114 connected with 205.213.14.56 port 5001
[  9] local 10.0.10.144 port 56503 connected with 205.213.14.56 port 5001
[ 19] local 10.0.10.144 port 64738 connected with 205.213.14.56 port 5001
[ 17] local 10.0.10.144 port 51477 connected with 205.213.14.56 port 5001
[ 18] local 10.0.10.144 port 57188 connected with 205.213.14.56 port 5001
[ 12] local 10.0.10.144 port 60351 connected with 205.213.14.56 port 5001
[  7] local 10.0.10.144 port 61574 connected with 205.213.14.56 port 5001
[ 20] local 10.0.10.144 port 59632 connected with 205.213.14.56 port 5001
[ 22] local 10.0.10.144 port 60200 connected with 205.213.14.56 port 5001
[ 21] local 10.0.10.144 port 50617 connected with 205.213.14.56 port 5001
[ 23] local 10.0.10.144 port 61880 connected with 205.213.14.56 port 5001
[ 11] local 10.0.10.144 port 61734 connected with 205.213.14.56 port 5001
[ ID] Interval      Transfer      Bandwidth
[ 24] 0.0- 1.0 sec  5.94 MBytes  49.8 Mbits/sec
[  5] 0.0- 1.0 sec  5.94 MBytes  49.9 Mbits/sec
[  8] 0.0- 1.0 sec  5.96 MBytes  50.0 Mbits/sec
[  6] 0.0- 1.0 sec  5.95 MBytes  49.9 Mbits/sec
[ 10] 0.0- 1.0 sec  5.93 MBytes  49.8 Mbits/sec
[ 14] 0.0- 1.0 sec  5.93 MBytes  49.7 Mbits/sec
[ 15] 0.0- 1.0 sec  5.92 MBytes  49.7 Mbits/sec
[ 13] 0.0- 1.0 sec  5.90 MBytes  49.5 Mbits/sec
[ 16] 0.0- 1.0 sec  5.87 MBytes  49.3 Mbits/sec
[  9] 0.0- 1.0 sec  5.84 MBytes  49.0 Mbits/sec
[ 19] 0.0- 1.0 sec  5.82 MBytes  48.9 Mbits/sec
[ 17] 0.0- 1.0 sec  5.77 MBytes  48.4 Mbits/sec
[ 18] 0.0- 1.0 sec  5.69 MBytes  47.7 Mbits/sec
[ 12] 0.0- 1.0 sec  5.63 MBytes  47.2 Mbits/sec
[  7] 0.0- 1.0 sec  5.63 MBytes  47.2 Mbits/sec
[ 20] 0.0- 1.0 sec  5.58 MBytes  46.8 Mbits/sec
[ 22] 0.0- 1.0 sec  5.57 MBytes  46.7 Mbits/sec
[ 21] 0.0- 1.0 sec  5.54 MBytes  46.5 Mbits/sec
[ 23] 0.0- 1.0 sec  5.58 MBytes  46.8 Mbits/sec
[ 11] 0.0- 1.0 sec  5.57 MBytes  46.7 Mbits/sec
[SUM] 0.0- 1.0 sec  116 MBytes  969 Mbits/sec
[ 24] 1.0- 2.0 sec  5.93 MBytes  49.7 Mbits/sec
[  5] 1.0- 2.0 sec  5.93 MBytes  49.8 Mbits/sec
[  8] 1.0- 2.0 sec  5.93 MBytes  49.7 Mbits/sec
[  6] 1.0- 2.0 sec  5.93 MBytes  49.8 Mbits/sec
[ 10] 1.0- 2.0 sec  5.92 MBytes  49.7 Mbits/sec
[ 14] 1.0- 2.0 sec  5.92 MBytes  49.6 Mbits/sec
[ 15] 1.0- 2.0 sec  5.89 MBytes  49.4 Mbits/sec
[ 13] 1.0- 2.0 sec  5.86 MBytes  49.2 Mbits/sec
```

[16]	1.0- 2.0 sec	5.83 MBytes	48.9 Mbits/sec
[9]	1.0- 2.0 sec	5.81 MBytes	48.7 Mbits/sec
[19]	1.0- 2.0 sec	5.77 MBytes	48.4 Mbits/sec
[17]	1.0- 2.0 sec	5.70 MBytes	47.8 Mbits/sec
[18]	1.0- 2.0 sec	5.59 MBytes	46.9 Mbits/sec
[12]	1.0- 2.0 sec	5.53 MBytes	46.4 Mbits/sec
[7]	1.0- 2.0 sec	5.42 MBytes	45.5 Mbits/sec
[20]	1.0- 2.0 sec	5.46 MBytes	45.8 Mbits/sec
[22]	1.0- 2.0 sec	5.38 MBytes	45.1 Mbits/sec
[21]	1.0- 2.0 sec	5.37 MBytes	45.0 Mbits/sec
[23]	1.0- 2.0 sec	5.36 MBytes	45.0 Mbits/sec
[11]	1.0- 2.0 sec	5.40 MBytes	45.3 Mbits/sec
[SUM]	1.0- 2.0 sec	114 MBytes	956 Mbits/sec
[24]	2.0- 3.0 sec	5.91 MBytes	49.6 Mbits/sec
[5]	2.0- 3.0 sec	5.93 MBytes	49.8 Mbits/sec
[8]	2.0- 3.0 sec	5.94 MBytes	49.8 Mbits/sec
[6]	2.0- 3.0 sec	5.93 MBytes	49.8 Mbits/sec
[10]	2.0- 3.0 sec	5.93 MBytes	49.8 Mbits/sec
[14]	2.0- 3.0 sec	5.92 MBytes	49.7 Mbits/sec
[15]	2.0- 3.0 sec	5.90 MBytes	49.5 Mbits/sec
[13]	2.0- 3.0 sec	5.87 MBytes	49.3 Mbits/sec
[16]	2.0- 3.0 sec	5.82 MBytes	48.8 Mbits/sec
[9]	2.0- 3.0 sec	5.79 MBytes	48.6 Mbits/sec
[19]	2.0- 3.0 sec	5.78 MBytes	48.5 Mbits/sec
[17]	2.0- 3.0 sec	5.71 MBytes	47.9 Mbits/sec
[18]	2.0- 3.0 sec	5.64 MBytes	47.3 Mbits/sec
[12]	2.0- 3.0 sec	5.58 MBytes	46.8 Mbits/sec
[7]	2.0- 3.0 sec	5.45 MBytes	45.7 Mbits/sec
[20]	2.0- 3.0 sec	5.39 MBytes	45.2 Mbits/sec
[22]	2.0- 3.0 sec	5.36 MBytes	45.0 Mbits/sec
[21]	2.0- 3.0 sec	5.36 MBytes	45.0 Mbits/sec
[23]	2.0- 3.0 sec	5.37 MBytes	45.0 Mbits/sec
[11]	2.0- 3.0 sec	5.35 MBytes	44.9 Mbits/sec
[SUM]	2.0- 3.0 sec	114 MBytes	956 Mbits/sec
[24]	3.0- 4.0 sec	5.82 MBytes	48.8 Mbits/sec
[5]	3.0- 4.0 sec	5.85 MBytes	49.1 Mbits/sec
[8]	3.0- 4.0 sec	5.82 MBytes	48.9 Mbits/sec
[6]	3.0- 4.0 sec	5.79 MBytes	48.5 Mbits/sec
[10]	3.0- 4.0 sec	5.73 MBytes	48.0 Mbits/sec
[14]	3.0- 4.0 sec	5.66 MBytes	47.5 Mbits/sec
[15]	3.0- 4.0 sec	5.58 MBytes	46.8 Mbits/sec
[13]	3.0- 4.0 sec	5.60 MBytes	47.0 Mbits/sec
[16]	3.0- 4.0 sec	5.51 MBytes	46.2 Mbits/sec
[9]	3.0- 4.0 sec	5.49 MBytes	46.1 Mbits/sec
[19]	3.0- 4.0 sec	5.43 MBytes	45.5 Mbits/sec
[17]	3.0- 4.0 sec	5.44 MBytes	45.6 Mbits/sec
[18]	3.0- 4.0 sec	5.80 MBytes	48.6 Mbits/sec
[12]	3.0- 4.0 sec	5.54 MBytes	46.5 Mbits/sec
[7]	3.0- 4.0 sec	5.80 MBytes	48.6 Mbits/sec
[20]	3.0- 4.0 sec	5.82 MBytes	48.8 Mbits/sec
[22]	3.0- 4.0 sec	5.83 MBytes	48.9 Mbits/sec
[21]	3.0- 4.0 sec	5.81 MBytes	48.7 Mbits/sec
[23]	3.0- 4.0 sec	5.81 MBytes	48.7 Mbits/sec
[11]	3.0- 4.0 sec	5.79 MBytes	48.6 Mbits/sec
[SUM]	3.0- 4.0 sec	114 MBytes	956 Mbits/sec
[24]	4.0- 5.0 sec	5.79 MBytes	48.5 Mbits/sec
[5]	4.0- 5.0 sec	5.85 MBytes	49.0 Mbits/sec
[8]	4.0- 5.0 sec	5.81 MBytes	48.8 Mbits/sec
[6]	4.0- 5.0 sec	5.77 MBytes	48.4 Mbits/sec
[10]	4.0- 5.0 sec	5.71 MBytes	47.9 Mbits/sec
[14]	4.0- 5.0 sec	5.66 MBytes	47.5 Mbits/sec
[15]	4.0- 5.0 sec	5.60 MBytes	47.0 Mbits/sec
[13]	4.0- 5.0 sec	5.56 MBytes	46.7 Mbits/sec
[16]	4.0- 5.0 sec	5.50 MBytes	46.1 Mbits/sec
[9]	4.0- 5.0 sec	5.47 MBytes	45.8 Mbits/sec
[19]	4.0- 5.0 sec	5.42 MBytes	45.5 Mbits/sec
[17]	4.0- 5.0 sec	5.43 MBytes	45.5 Mbits/sec
[18]	4.0- 5.0 sec	5.81 MBytes	48.7 Mbits/sec
[12]	4.0- 5.0 sec	5.53 MBytes	46.4 Mbits/sec
[7]	4.0- 5.0 sec	5.80 MBytes	48.6 Mbits/sec
[20]	4.0- 5.0 sec	5.82 MBytes	48.8 Mbits/sec

[22]	4.0- 5.0 sec	5.87 MBytes	49.2 Mbits/sec
[21]	4.0- 5.0 sec	5.81 MBytes	48.8 Mbits/sec
[23]	4.0- 5.0 sec	5.81 MBytes	48.8 Mbits/sec
[11]	4.0- 5.0 sec	5.80 MBytes	48.6 Mbits/sec
[SUM]	4.0- 5.0 sec	114 MBytes	955 Mbits/sec
[24]	5.0- 6.0 sec	5.80 MBytes	48.7 Mbits/sec
[5]	5.0- 6.0 sec	5.84 MBytes	49.0 Mbits/sec
[8]	5.0- 6.0 sec	5.77 MBytes	48.4 Mbits/sec
[6]	5.0- 6.0 sec	5.76 MBytes	48.3 Mbits/sec
[10]	5.0- 6.0 sec	5.74 MBytes	48.1 Mbits/sec
[14]	5.0- 6.0 sec	5.66 MBytes	47.5 Mbits/sec
[15]	5.0- 6.0 sec	5.61 MBytes	47.0 Mbits/sec
[13]	5.0- 6.0 sec	5.57 MBytes	46.7 Mbits/sec
[16]	5.0- 6.0 sec	5.55 MBytes	46.6 Mbits/sec
[9]	5.0- 6.0 sec	5.47 MBytes	45.8 Mbits/sec
[19]	5.0- 6.0 sec	5.49 MBytes	46.0 Mbits/sec
[17]	5.0- 6.0 sec	5.44 MBytes	45.7 Mbits/sec
[18]	5.0- 6.0 sec	5.78 MBytes	48.5 Mbits/sec
[12]	5.0- 6.0 sec	5.56 MBytes	46.6 Mbits/sec
[7]	5.0- 6.0 sec	5.79 MBytes	48.6 Mbits/sec
[20]	5.0- 6.0 sec	5.82 MBytes	48.8 Mbits/sec
[22]	5.0- 6.0 sec	5.86 MBytes	49.1 Mbits/sec
[21]	5.0- 6.0 sec	5.82 MBytes	48.8 Mbits/sec
[23]	5.0- 6.0 sec	5.80 MBytes	48.7 Mbits/sec
[11]	5.0- 6.0 sec	5.79 MBytes	48.6 Mbits/sec
[SUM]	5.0- 6.0 sec	114 MBytes	956 Mbits/sec
[24]	6.0- 7.0 sec	5.75 MBytes	48.2 Mbits/sec
[5]	6.0- 7.0 sec	5.82 MBytes	48.8 Mbits/sec
[8]	6.0- 7.0 sec	5.80 MBytes	48.6 Mbits/sec
[6]	6.0- 7.0 sec	5.70 MBytes	47.8 Mbits/sec
[10]	6.0- 7.0 sec	5.70 MBytes	47.8 Mbits/sec
[14]	6.0- 7.0 sec	5.65 MBytes	47.4 Mbits/sec
[15]	6.0- 7.0 sec	5.59 MBytes	46.9 Mbits/sec
[13]	6.0- 7.0 sec	5.58 MBytes	46.8 Mbits/sec
[16]	6.0- 7.0 sec	5.59 MBytes	46.9 Mbits/sec
[9]	6.0- 7.0 sec	5.58 MBytes	46.8 Mbits/sec
[19]	6.0- 7.0 sec	5.56 MBytes	46.6 Mbits/sec
[17]	6.0- 7.0 sec	5.56 MBytes	46.6 Mbits/sec
[18]	6.0- 7.0 sec	5.78 MBytes	48.5 Mbits/sec
[12]	6.0- 7.0 sec	5.61 MBytes	47.1 Mbits/sec
[7]	6.0- 7.0 sec	5.79 MBytes	48.6 Mbits/sec
[20]	6.0- 7.0 sec	5.79 MBytes	48.6 Mbits/sec
[22]	6.0- 7.0 sec	5.78 MBytes	48.5 Mbits/sec
[21]	6.0- 7.0 sec	5.77 MBytes	48.4 Mbits/sec
[23]	6.0- 7.0 sec	5.75 MBytes	48.2 Mbits/sec
[11]	6.0- 7.0 sec	5.77 MBytes	48.4 Mbits/sec
[SUM]	6.0- 7.0 sec	114 MBytes	956 Mbits/sec
[24]	7.0- 8.0 sec	5.76 MBytes	48.4 Mbits/sec
[5]	7.0- 8.0 sec	5.79 MBytes	48.6 Mbits/sec
[8]	7.0- 8.0 sec	5.76 MBytes	48.4 Mbits/sec
[6]	7.0- 8.0 sec	5.74 MBytes	48.1 Mbits/sec
[10]	7.0- 8.0 sec	5.72 MBytes	48.0 Mbits/sec
[14]	7.0- 8.0 sec	5.72 MBytes	48.0 Mbits/sec
[15]	7.0- 8.0 sec	5.71 MBytes	47.9 Mbits/sec
[13]	7.0- 8.0 sec	5.72 MBytes	48.0 Mbits/sec
[16]	7.0- 8.0 sec	5.61 MBytes	47.0 Mbits/sec
[9]	7.0- 8.0 sec	5.62 MBytes	47.1 Mbits/sec
[19]	7.0- 8.0 sec	5.68 MBytes	47.6 Mbits/sec
[17]	7.0- 8.0 sec	5.64 MBytes	47.3 Mbits/sec
[18]	7.0- 8.0 sec	5.67 MBytes	47.6 Mbits/sec
[12]	7.0- 8.0 sec	5.62 MBytes	47.2 Mbits/sec
[7]	7.0- 8.0 sec	5.67 MBytes	47.6 Mbits/sec
[20]	7.0- 8.0 sec	5.72 MBytes	47.9 Mbits/sec
[22]	7.0- 8.0 sec	5.71 MBytes	47.9 Mbits/sec
[21]	7.0- 8.0 sec	5.72 MBytes	48.0 Mbits/sec
[23]	7.0- 8.0 sec	5.69 MBytes	47.8 Mbits/sec
[11]	7.0- 8.0 sec	5.66 MBytes	47.5 Mbits/sec
[SUM]	7.0- 8.0 sec	114 MBytes	956 Mbits/sec
[24]	8.0- 9.0 sec	5.74 MBytes	48.1 Mbits/sec
[5]	8.0- 9.0 sec	5.79 MBytes	48.5 Mbits/sec
[8]	8.0- 9.0 sec	5.77 MBytes	48.4 Mbits/sec

```

[ 6] 8.0- 9.0 sec 5.73 MBytes 48.0 Mbits/sec
[10] 8.0- 9.0 sec 5.69 MBytes 47.8 Mbits/sec
[14] 8.0- 9.0 sec 5.71 MBytes 47.9 Mbits/sec
[15] 8.0- 9.0 sec 5.72 MBytes 48.0 Mbits/sec
[13] 8.0- 9.0 sec 5.69 MBytes 47.7 Mbits/sec
[16] 8.0- 9.0 sec 5.63 MBytes 47.2 Mbits/sec
[ 9] 8.0- 9.0 sec 5.62 MBytes 47.2 Mbits/sec
[19] 8.0- 9.0 sec 5.72 MBytes 48.0 Mbits/sec
[17] 8.0- 9.0 sec 5.68 MBytes 47.7 Mbits/sec
[18] 8.0- 9.0 sec 5.69 MBytes 47.8 Mbits/sec
[12] 8.0- 9.0 sec 5.59 MBytes 46.9 Mbits/sec
[ 7] 8.0- 9.0 sec 5.69 MBytes 47.7 Mbits/sec
[20] 8.0- 9.0 sec 5.70 MBytes 47.8 Mbits/sec
[22] 8.0- 9.0 sec 5.71 MBytes 47.9 Mbits/sec
[21] 8.0- 9.0 sec 5.71 MBytes 47.9 Mbits/sec
[23] 8.0- 9.0 sec 5.68 MBytes 47.6 Mbits/sec
[11] 8.0- 9.0 sec 5.67 MBytes 47.6 Mbits/sec
[SUM] 8.0- 9.0 sec 114 MBytes 956 Mbits/sec
[ 24] 9.0-10.0 sec 5.67 MBytes 47.5 Mbits/sec
[ 24] 0.0-10.0 sec 58.1 MBytes 48.7 Mbits/sec
[ 24] Sent 42554 datagrams
[ 5] 0.0-10.0 sec 58.4 MBytes 49.0 Mbits/sec
[ 5] Sent 42553 datagrams
[ 8] 0.0-10.0 sec 58.3 MBytes 48.9 Mbits/sec
[ 8] Sent 42553 datagrams
[ 6] 0.0-10.0 sec 57.9 MBytes 48.6 Mbits/sec
[ 6] Sent 42553 datagrams
[10] 0.0-10.0 sec 57.8 MBytes 48.5 Mbits/sec
[10] Sent 42553 datagrams
[14] 0.0-10.0 sec 57.5 MBytes 48.2 Mbits/sec
[14] Sent 42553 datagrams
[15] 0.0-10.0 sec 57.2 MBytes 48.0 Mbits/sec
[15] Sent 42553 datagrams
[13] 0.0-10.0 sec 57.0 MBytes 47.8 Mbits/sec
[13] Sent 42553 datagrams
[16] 0.0-10.0 sec 56.6 MBytes 47.5 Mbits/sec
[16] Sent 42553 datagrams
[ 9] 0.0-10.0 sec 56.4 MBytes 47.3 Mbits/sec
[ 9] Sent 42553 datagrams
[19] 0.0-10.0 sec 56.4 MBytes 47.3 Mbits/sec
[19] Sent 42553 datagrams
[17] 0.0-10.0 sec 56.1 MBytes 47.0 Mbits/sec
[17] Sent 42553 datagrams
[18] 0.0-10.0 sec 57.2 MBytes 48.0 Mbits/sec
[18] Sent 42553 datagrams
[12] 0.0-10.0 sec 55.9 MBytes 46.9 Mbits/sec
[12] Sent 42552 datagrams
[ 7] 0.0-10.0 sec 56.8 MBytes 47.6 Mbits/sec
[ 7] Sent 42553 datagrams
[20] 0.0-10.0 sec 56.8 MBytes 47.6 Mbits/sec
[20] Sent 42553 datagrams
[22] 9.0-10.0 sec 5.69 MBytes 47.7 Mbits/sec
[22] 0.0-10.0 sec 56.7 MBytes 47.6 Mbits/sec
[22] Sent 42553 datagrams
[21] 9.0-10.0 sec 5.67 MBytes 47.6 Mbits/sec
[21] 0.0-10.0 sec 56.6 MBytes 47.5 Mbits/sec
[21] Sent 42553 datagrams
[23] 0.0-10.0 sec 56.6 MBytes 47.5 Mbits/sec
[23] Sent 42553 datagrams
[11] 9.0-10.0 sec 5.70 MBytes 47.8 Mbits/sec
[11] 0.0-10.0 sec 56.5 MBytes 47.4 Mbits/sec
[11] Sent 42553 datagrams
[SUM] 0.0-10.0 sec 1.11 GBytes 957 Mbits/sec
[12] Server Report:
[12] 0.0-10.0 sec 55.8 MBytes 46.7 Mbits/sec 0.066 ms 2759/42551 (6.5%)
[12] 0.0-10.0 sec 1 datagrams received out-of-order
[14] Server Report:
[14] 0.0-10.0 sec 57.4 MBytes 48.1 Mbits/sec 0.086 ms 1615/42552 (3.8%)
[14] 0.0-10.0 sec 1 datagrams received out-of-order
[16] Server Report:
[16] 0.0-10.0 sec 56.4 MBytes 47.2 Mbits/sec 0.080 ms 2352/42552 (5.5%)

```

```

[ 16] 0.0-10.0 sec 2 datagrams received out-of-order
[ 23] Server Report:
[ 23] 0.0-10.0 sec 56.0 MBytes 46.9 Mbits/sec 0.067 ms 2571/42552 (6%)
[ 23] 0.0-10.0 sec 1 datagrams received out-of-order
[ 6] Server Report:
[ 6] 0.0-10.0 sec 57.6 MBytes 48.2 Mbits/sec 0.076 ms 1492/42552 (3.5%)
[ 6] 0.0-10.0 sec 3 datagrams received out-of-order
[ 13] Server Report:
[ 13] 0.0-10.0 sec 56.9 MBytes 47.6 Mbits/sec 0.069 ms 1977/42552 (4.6%)
[ 13] 0.0-10.0 sec 1 datagrams received out-of-order
[ 10] Server Report:
[ 10] 0.0-10.0 sec 57.4 MBytes 48.1 Mbits/sec 0.072 ms 1577/42552 (3.7%)
[ 10] 0.0-10.0 sec 5 datagrams received out-of-order
[ 15] Server Report:
[ 15] 0.0-10.0 sec 56.9 MBytes 47.6 Mbits/sec 0.068 ms 1963/42552 (4.6%)
[ 15] 0.0-10.0 sec 8 datagrams received out-of-order
[ 22] Server Report:
[ 22] 0.0-10.0 sec 56.5 MBytes 47.3 Mbits/sec 0.064 ms 2272/42552 (5.3%)
[ 22] 0.0-10.0 sec 1 datagrams received out-of-order
[ 19] Server Report:
[ 19] 0.0-10.0 sec 56.3 MBytes 47.1 Mbits/sec 0.079 ms 2396/42552 (5.6%)
[ 19] 0.0-10.0 sec 7 datagrams received out-of-order
[ 11] Server Report:
[ 11] 0.0-10.0 sec 56.3 MBytes 47.1 Mbits/sec 0.091 ms 2379/42551 (5.6%)
[ 11] 0.0-10.0 sec 1 datagrams received out-of-order
[ 24] Server Report:
[ 24] 0.0-10.0 sec 57.8 MBytes 48.3 Mbits/sec 0.086 ms 1359/42553 (3.2%)
[ 24] 0.0-10.0 sec 1 datagrams received out-of-order
[ 17] Server Report:
[ 17] 0.0-10.0 sec 55.8 MBytes 46.7 Mbits/sec 0.066 ms 2775/42552 (6.5%)
[ 17] 0.0-10.0 sec 3 datagrams received out-of-order
[ 21] Server Report:
[ 21] 0.0-10.0 sec 56.1 MBytes 47.0 Mbits/sec 0.063 ms 2546/42551 (6%)
[ 21] 0.0-10.0 sec 1 datagrams received out-of-order
[ 8] Server Report:
[ 8] 0.0-10.0 sec 57.9 MBytes 48.5 Mbits/sec 0.070 ms 1243/42552 (2.9%)
[ 8] 0.0-10.0 sec 1 datagrams received out-of-order
[ 5] Server Report:
[ 5] 0.0-10.0 sec 58.1 MBytes 48.7 Mbits/sec 0.080 ms 1085/42552 (2.5%)
[ 5] 0.0-10.0 sec 5 datagrams received out-of-order
[ 7] Server Report:
[ 7] 0.0-10.0 sec 56.6 MBytes 47.4 Mbits/sec 0.075 ms 2183/42552 (5.1%)
[ 7] 0.0-10.0 sec 4 datagrams received out-of-order
[ 18] Server Report:
[ 18] 0.0-10.0 sec 57.1 MBytes 47.8 Mbits/sec 0.068 ms 1844/42552 (4.3%)
[ 18] 0.0-10.0 sec 4 datagrams received out-of-order
[ 9] Server Report:
[ 9] 0.0-10.0 sec 56.3 MBytes 47.1 Mbits/sec 0.073 ms 2410/42552 (5.7%)
[ 9] 0.0-10.0 sec 4 datagrams received out-of-order
[ 20] Server Report:
[ 20] 0.0-10.0 sec 56.5 MBytes 47.3 Mbits/sec 0.053 ms 2265/42552 (5.3%)
[ 20] 0.0-10.0 sec 2 datagrams received out-of-order

```

Unix/Linux

Many Linux and Unix distros will have iperf in official repositories. Make sure to install iperf2 (iperf), not iperf3, to have compatability with WiscNet's iPerf server.

Ubuntu - Install

```

apt-cache search iperf | grep -i iperf
iperf - Internet Protocol bandwidth measuring tool
iperf3 - Internet Protocol bandwidth measuring tool

sudo apt-get install iperf

```

Ubuntu - Example

```
iperf -c iperf.wiscnet.net -t 10 -P 20 -u -b 50m -i1
```

```
-----  
Client connecting to iperf.wiscnet.net, UDP port 5001  
Sending 1470 byte datagrams  
UDP buffer size: 208 KByte (default)  
-----
```

```
[ 21] local 10.0.10.105 port 33836 connected with 205.213.14.56 port 5001  
[  5] local 10.0.10.105 port 39264 connected with 205.213.14.56 port 5001  
[  4] local 10.0.10.105 port 55180 connected with 205.213.14.56 port 5001  
[  6] local 10.0.10.105 port 41089 connected with 205.213.14.56 port 5001  
[  3] local 10.0.10.105 port 48475 connected with 205.213.14.56 port 5001  
[  7] local 10.0.10.105 port 37402 connected with 205.213.14.56 port 5001  
[  8] local 10.0.10.105 port 35544 connected with 205.213.14.56 port 5001  
[  9] local 10.0.10.105 port 38899 connected with 205.213.14.56 port 5001  
[ 11] local 10.0.10.105 port 55616 connected with 205.213.14.56 port 5001  
[ 10] local 10.0.10.105 port 45343 connected with 205.213.14.56 port 5001  
[ 12] local 10.0.10.105 port 52147 connected with 205.213.14.56 port 5001  
[ 15] local 10.0.10.105 port 48943 connected with 205.213.14.56 port 5001  
[ 13] local 10.0.10.105 port 55655 connected with 205.213.14.56 port 5001  
[ 14] local 10.0.10.105 port 37942 connected with 205.213.14.56 port 5001  
[ 16] local 10.0.10.105 port 44809 connected with 205.213.14.56 port 5001  
[ 17] local 10.0.10.105 port 37378 connected with 205.213.14.56 port 5001  
[ 18] local 10.0.10.105 port 60936 connected with 205.213.14.56 port 5001  
[ 20] local 10.0.10.105 port 54895 connected with 205.213.14.56 port 5001  
[ 19] local 10.0.10.105 port 47884 connected with 205.213.14.56 port 5001  
[ 22] local 10.0.10.105 port 46874 connected with 205.213.14.56 port 5001  
[ ID] Interval      Transfer      Bandwidth  
[  5] 0.0- 1.0 sec  5.97 MBytes  50.0 Mbits/sec  
[  4] 0.0- 1.0 sec  5.97 MBytes  50.0 Mbits/sec  
[  6] 0.0- 1.0 sec  5.97 MBytes  50.0 Mbits/sec  
[  3] 0.0- 1.0 sec  5.97 MBytes  50.0 Mbits/sec  
[  7] 0.0- 1.0 sec  5.96 MBytes  50.0 Mbits/sec  
[  8] 0.0- 1.0 sec  5.96 MBytes  50.0 Mbits/sec  
[  9] 0.0- 1.0 sec  5.96 MBytes  50.0 Mbits/sec  
[ 11] 0.0- 1.0 sec  5.97 MBytes  50.0 Mbits/sec  
[ 10] 0.0- 1.0 sec  5.97 MBytes  50.0 Mbits/sec  
[ 12] 0.0- 1.0 sec  5.97 MBytes  50.0 Mbits/sec  
[ 15] 0.0- 1.0 sec  5.97 MBytes  50.0 Mbits/sec  
[ 13] 0.0- 1.0 sec  5.97 MBytes  50.0 Mbits/sec  
[ 14] 0.0- 1.0 sec  5.97 MBytes  50.0 Mbits/sec  
[ 16] 0.0- 1.0 sec  5.97 MBytes  50.0 Mbits/sec  
[ 17] 0.0- 1.0 sec  5.97 MBytes  50.0 Mbits/sec  
[ 18] 0.0- 1.0 sec  5.97 MBytes  50.0 Mbits/sec  
[ 20] 0.0- 1.0 sec  5.97 MBytes  50.0 Mbits/sec  
[ 19] 0.0- 1.0 sec  5.97 MBytes  50.0 Mbits/sec  
[ 22] 0.0- 1.0 sec  5.97 MBytes  50.0 Mbits/sec  
[ 21] 0.0- 1.0 sec  5.97 MBytes  50.1 Mbits/sec  
[SUM] 0.0- 1.0 sec  119 MBytes  1.00 Gbits/sec  
[ 21] 1.0- 2.0 sec  5.97 MBytes  50.0 Mbits/sec  
[  5] 1.0- 2.0 sec  5.97 MBytes  50.1 Mbits/sec  
[  4] 1.0- 2.0 sec  5.97 MBytes  50.1 Mbits/sec  
[  6] 1.0- 2.0 sec  5.97 MBytes  50.1 Mbits/sec  
[  3] 1.0- 2.0 sec  5.97 MBytes  50.1 Mbits/sec  
[  7] 1.0- 2.0 sec  5.97 MBytes  50.1 Mbits/sec  
[  8] 1.0- 2.0 sec  5.97 MBytes  50.1 Mbits/sec  
[  9] 1.0- 2.0 sec  5.97 MBytes  50.1 Mbits/sec  
[ 11] 1.0- 2.0 sec  5.97 MBytes  50.1 Mbits/sec  
[ 10] 1.0- 2.0 sec  5.97 MBytes  50.1 Mbits/sec  
[ 12] 1.0- 2.0 sec  5.97 MBytes  50.1 Mbits/sec  
[ 15] 1.0- 2.0 sec  5.97 MBytes  50.0 Mbits/sec  
[ 13] 1.0- 2.0 sec  5.97 MBytes  50.1 Mbits/sec  
[ 14] 1.0- 2.0 sec  5.97 MBytes  50.1 Mbits/sec  
[ 16] 1.0- 2.0 sec  5.97 MBytes  50.1 Mbits/sec  
[ 17] 1.0- 2.0 sec  5.97 MBytes  50.1 Mbits/sec  
[ 18] 1.0- 2.0 sec  5.97 MBytes  50.1 Mbits/sec  
[ 20] 1.0- 2.0 sec  5.97 MBytes  50.0 Mbits/sec  
[ 19] 1.0- 2.0 sec  5.97 MBytes  50.1 Mbits/sec  
[ 22] 1.0- 2.0 sec  5.97 MBytes  50.0 Mbits/sec  
[SUM] 1.0- 2.0 sec  119 MBytes  1.00 Gbits/sec  
[ 21] 2.0- 3.0 sec  5.97 MBytes  50.0 Mbits/sec
```

[5]	2.0- 3.0 sec	5.97 MBytes	50.0 Mb/s
[4]	2.0- 3.0 sec	5.97 MBytes	50.0 Mb/s
[6]	2.0- 3.0 sec	5.97 MBytes	50.0 Mb/s
[3]	2.0- 3.0 sec	5.97 MBytes	50.0 Mb/s
[7]	2.0- 3.0 sec	5.97 MBytes	50.0 Mb/s
[8]	2.0- 3.0 sec	5.97 MBytes	50.0 Mb/s
[9]	2.0- 3.0 sec	5.97 MBytes	50.0 Mb/s
[11]	2.0- 3.0 sec	5.96 MBytes	50.0 Mb/s
[10]	2.0- 3.0 sec	5.97 MBytes	50.0 Mb/s
[12]	2.0- 3.0 sec	5.97 MBytes	50.0 Mb/s
[15]	2.0- 3.0 sec	5.97 MBytes	50.1 Mb/s
[13]	2.0- 3.0 sec	5.97 MBytes	50.0 Mb/s
[14]	2.0- 3.0 sec	5.97 MBytes	50.0 Mb/s
[16]	2.0- 3.0 sec	5.97 MBytes	50.0 Mb/s
[17]	2.0- 3.0 sec	5.97 MBytes	50.0 Mb/s
[18]	2.0- 3.0 sec	5.97 MBytes	50.0 Mb/s
[20]	2.0- 3.0 sec	5.97 MBytes	50.1 Mb/s
[19]	2.0- 3.0 sec	5.97 MBytes	50.0 Mb/s
[22]	2.0- 3.0 sec	5.97 MBytes	50.0 Mb/s
[SUM]	2.0- 3.0 sec	119 MBytes	1.00 Gb/s
[21]	3.0- 4.0 sec	5.97 MBytes	50.0 Mb/s
[5]	3.0- 4.0 sec	5.97 MBytes	50.0 Mb/s
[4]	3.0- 4.0 sec	5.97 MBytes	50.0 Mb/s
[6]	3.0- 4.0 sec	5.97 MBytes	50.0 Mb/s
[3]	3.0- 4.0 sec	5.97 MBytes	50.0 Mb/s
[7]	3.0- 4.0 sec	5.97 MBytes	50.0 Mb/s
[8]	3.0- 4.0 sec	5.97 MBytes	50.0 Mb/s
[9]	3.0- 4.0 sec	5.97 MBytes	50.0 Mb/s
[11]	3.0- 4.0 sec	5.97 MBytes	50.1 Mb/s
[10]	3.0- 4.0 sec	5.97 MBytes	50.0 Mb/s
[12]	3.0- 4.0 sec	5.97 MBytes	50.0 Mb/s
[15]	3.0- 4.0 sec	5.97 MBytes	50.0 Mb/s
[13]	3.0- 4.0 sec	5.97 MBytes	50.0 Mb/s
[14]	3.0- 4.0 sec	5.97 MBytes	50.0 Mb/s
[16]	3.0- 4.0 sec	5.95 MBytes	49.9 Mb/s
[17]	3.0- 4.0 sec	5.97 MBytes	50.0 Mb/s
[18]	3.0- 4.0 sec	5.95 MBytes	49.9 Mb/s
[20]	3.0- 4.0 sec	5.97 MBytes	50.0 Mb/s
[19]	3.0- 4.0 sec	5.97 MBytes	50.0 Mb/s
[22]	3.0- 4.0 sec	5.97 MBytes	50.0 Mb/s
[SUM]	3.0- 4.0 sec	119 MBytes	1.00 Gb/s
[21]	4.0- 5.0 sec	5.97 MBytes	50.0 Mb/s
[5]	4.0- 5.0 sec	5.97 MBytes	50.1 Mb/s
[4]	4.0- 5.0 sec	5.97 MBytes	50.1 Mb/s
[6]	4.0- 5.0 sec	5.97 MBytes	50.1 Mb/s
[3]	4.0- 5.0 sec	5.97 MBytes	50.1 Mb/s
[7]	4.0- 5.0 sec	5.97 MBytes	50.0 Mb/s
[8]	4.0- 5.0 sec	5.97 MBytes	50.1 Mb/s
[9]	4.0- 5.0 sec	5.97 MBytes	50.0 Mb/s
[11]	4.0- 5.0 sec	5.97 MBytes	50.0 Mb/s
[10]	4.0- 5.0 sec	5.97 MBytes	50.1 Mb/s
[12]	4.0- 5.0 sec	5.97 MBytes	50.1 Mb/s
[15]	4.0- 5.0 sec	5.97 MBytes	50.1 Mb/s
[13]	4.0- 5.0 sec	5.97 MBytes	50.0 Mb/s
[14]	4.0- 5.0 sec	5.97 MBytes	50.0 Mb/s
[16]	4.0- 5.0 sec	5.97 MBytes	50.1 Mb/s
[17]	4.0- 5.0 sec	5.97 MBytes	50.0 Mb/s
[18]	4.0- 5.0 sec	5.97 MBytes	50.1 Mb/s
[20]	4.0- 5.0 sec	5.97 MBytes	50.0 Mb/s
[19]	4.0- 5.0 sec	5.97 MBytes	50.0 Mb/s
[22]	4.0- 5.0 sec	5.97 MBytes	50.1 Mb/s
[SUM]	4.0- 5.0 sec	119 MBytes	1.00 Gb/s
[21]	5.0- 6.0 sec	5.97 MBytes	50.1 Mb/s
[5]	5.0- 6.0 sec	5.97 MBytes	50.0 Mb/s
[4]	5.0- 6.0 sec	5.97 MBytes	50.0 Mb/s
[6]	5.0- 6.0 sec	5.97 MBytes	50.0 Mb/s
[3]	5.0- 6.0 sec	5.97 MBytes	50.0 Mb/s
[7]	5.0- 6.0 sec	5.97 MBytes	50.1 Mb/s
[8]	5.0- 6.0 sec	5.97 MBytes	50.0 Mb/s
[9]	5.0- 6.0 sec	5.97 MBytes	50.1 Mb/s
[11]	5.0- 6.0 sec	5.97 MBytes	50.0 Mb/s

[10]	5.0-	6.0	sec	5.97	MBytes	50.0	Mbits/sec
[12]	5.0-	6.0	sec	5.97	MBytes	50.0	Mbits/sec
[15]	5.0-	6.0	sec	5.97	MBytes	50.0	Mbits/sec
[13]	5.0-	6.0	sec	5.97	MBytes	50.1	Mbits/sec
[14]	5.0-	6.0	sec	5.97	MBytes	50.1	Mbits/sec
[16]	5.0-	6.0	sec	5.97	MBytes	50.0	Mbits/sec
[17]	5.0-	6.0	sec	5.97	MBytes	50.1	Mbits/sec
[18]	5.0-	6.0	sec	5.97	MBytes	50.0	Mbits/sec
[20]	5.0-	6.0	sec	5.97	MBytes	50.1	Mbits/sec
[19]	5.0-	6.0	sec	5.97	MBytes	50.1	Mbits/sec
[22]	5.0-	6.0	sec	5.97	MBytes	50.0	Mbits/sec
[SUM]	5.0-	6.0	sec	119	MBytes	1.00	Gbits/sec
[21]	6.0-	7.0	sec	5.97	MBytes	50.0	Mbits/sec
[5]	6.0-	7.0	sec	5.97	MBytes	50.0	Mbits/sec
[4]	6.0-	7.0	sec	5.97	MBytes	50.0	Mbits/sec
[6]	6.0-	7.0	sec	5.97	MBytes	50.0	Mbits/sec
[3]	6.0-	7.0	sec	5.97	MBytes	50.0	Mbits/sec
[7]	6.0-	7.0	sec	5.97	MBytes	50.0	Mbits/sec
[8]	6.0-	7.0	sec	5.97	MBytes	50.0	Mbits/sec
[9]	6.0-	7.0	sec	5.97	MBytes	50.0	Mbits/sec
[11]	6.0-	7.0	sec	5.97	MBytes	50.1	Mbits/sec
[10]	6.0-	7.0	sec	5.96	MBytes	50.0	Mbits/sec
[12]	6.0-	7.0	sec	5.97	MBytes	50.0	Mbits/sec
[15]	6.0-	7.0	sec	5.97	MBytes	50.0	Mbits/sec
[13]	6.0-	7.0	sec	5.97	MBytes	50.0	Mbits/sec
[14]	6.0-	7.0	sec	5.97	MBytes	50.0	Mbits/sec
[16]	6.0-	7.0	sec	5.97	MBytes	50.0	Mbits/sec
[17]	6.0-	7.0	sec	5.97	MBytes	50.0	Mbits/sec
[18]	6.0-	7.0	sec	5.97	MBytes	50.0	Mbits/sec
[20]	6.0-	7.0	sec	5.97	MBytes	50.0	Mbits/sec
[19]	6.0-	7.0	sec	5.97	MBytes	50.0	Mbits/sec
[22]	6.0-	7.0	sec	5.97	MBytes	50.1	Mbits/sec
[SUM]	6.0-	7.0	sec	119	MBytes	1.00	Gbits/sec
[21]	7.0-	8.0	sec	5.97	MBytes	50.1	Mbits/sec
[5]	7.0-	8.0	sec	5.97	MBytes	50.1	Mbits/sec
[4]	7.0-	8.0	sec	5.96	MBytes	50.0	Mbits/sec
[6]	7.0-	8.0	sec	5.97	MBytes	50.1	Mbits/sec
[3]	7.0-	8.0	sec	5.96	MBytes	50.0	Mbits/sec
[7]	7.0-	8.0	sec	5.97	MBytes	50.0	Mbits/sec
[8]	7.0-	8.0	sec	5.97	MBytes	50.1	Mbits/sec
[9]	7.0-	8.0	sec	5.97	MBytes	50.1	Mbits/sec
[11]	7.0-	8.0	sec	5.97	MBytes	50.0	Mbits/sec
[10]	7.0-	8.0	sec	5.97	MBytes	50.1	Mbits/sec
[12]	7.0-	8.0	sec	5.97	MBytes	50.1	Mbits/sec
[15]	7.0-	8.0	sec	5.97	MBytes	50.0	Mbits/sec
[13]	7.0-	8.0	sec	5.97	MBytes	50.0	Mbits/sec
[14]	7.0-	8.0	sec	5.97	MBytes	50.0	Mbits/sec
[16]	7.0-	8.0	sec	5.97	MBytes	50.0	Mbits/sec
[17]	7.0-	8.0	sec	5.97	MBytes	50.0	Mbits/sec
[18]	7.0-	8.0	sec	5.97	MBytes	50.1	Mbits/sec
[20]	7.0-	8.0	sec	5.97	MBytes	50.0	Mbits/sec
[19]	7.0-	8.0	sec	5.97	MBytes	50.0	Mbits/sec
[22]	7.0-	8.0	sec	5.97	MBytes	50.0	Mbits/sec
[SUM]	7.0-	8.0	sec	119	MBytes	1.00	Gbits/sec
[21]	8.0-	9.0	sec	5.97	MBytes	50.0	Mbits/sec
[5]	8.0-	9.0	sec	5.97	MBytes	50.0	Mbits/sec
[4]	8.0-	9.0	sec	5.97	MBytes	50.1	Mbits/sec
[6]	8.0-	9.0	sec	5.97	MBytes	50.0	Mbits/sec
[3]	8.0-	9.0	sec	5.97	MBytes	50.0	Mbits/sec
[7]	8.0-	9.0	sec	5.97	MBytes	50.1	Mbits/sec
[8]	8.0-	9.0	sec	5.97	MBytes	50.0	Mbits/sec
[9]	8.0-	9.0	sec	5.97	MBytes	50.0	Mbits/sec
[11]	8.0-	9.0	sec	5.97	MBytes	50.0	Mbits/sec
[10]	8.0-	9.0	sec				

```

[ 20] 8.0- 9.0 sec 5.97 MBytes 50.1 Mbits/sec
[ 19] 8.0- 9.0 sec 5.97 MBytes 50.1 Mbits/sec
[ 22] 8.0- 9.0 sec 5.97 MBytes 50.0 Mbits/sec
[SUM] 8.0- 9.0 sec 119 MBytes 1.00 Gbits/sec
[ 21] 9.0-10.0 sec 5.96 MBytes 50.0 Mbits/sec
[ 21] 0.0-10.0 sec 59.6 MBytes 50.0 Mbits/sec
[ 21] Sent 42549 datagrams
[ 5] 0.0-10.0 sec 59.6 MBytes 50.0 Mbits/sec
[ 5] Sent 42548 datagrams
[ 4] 0.0-10.0 sec 59.6 MBytes 50.0 Mbits/sec
[ 4] Sent 42547 datagrams
[ 6] 0.0-10.0 sec 59.6 MBytes 50.0 Mbits/sec
[ 6] Sent 42549 datagrams
[ 3] 0.0-10.0 sec 59.6 MBytes 50.0 Mbits/sec
[ 3] Sent 42547 datagrams
[ 7] 0.0-10.0 sec 59.6 MBytes 50.0 Mbits/sec
[ 7] Sent 42549 datagrams
[ 8] 0.0-10.0 sec 59.6 MBytes 50.0 Mbits/sec
[ 8] Sent 42549 datagrams
[ 9] 0.0-10.0 sec 59.6 MBytes 50.0 Mbits/sec
[ 9] Sent 42550 datagrams
[ 11] 0.0-10.0 sec 59.6 MBytes 50.0 Mbits/sec
[ 11] Sent 42547 datagrams
[ 10] 0.0-10.0 sec 59.7 MBytes 50.0 Mbits/sec
[ 10] Sent 42551 datagrams
[ 12] 0.0-10.0 sec 59.7 MBytes 50.0 Mbits/sec
[ 12] Sent 42551 datagrams
[ 15] 0.0-10.0 sec 59.7 MBytes 50.0 Mbits/sec
[ 15] Sent 42551 datagrams
[ 13] 0.0-10.0 sec 59.7 MBytes 50.0 Mbits/sec
[ 13] Sent 42551 datagrams
[ 14] 0.0-10.0 sec 59.7 MBytes 50.0 Mbits/sec
[ 14] Sent 42552 datagrams
[ 16] 0.0-10.0 sec 59.6 MBytes 50.0 Mbits/sec
[ 16] Sent 42538 datagrams
[ 17] 0.0-10.0 sec 59.6 MBytes 50.0 Mbits/sec
[ 17] Sent 42547 datagrams
[ 18] 0.0-10.0 sec 59.6 MBytes 50.0 Mbits/sec
[ 18] Sent 42541 datagrams
[ 20] 0.0-10.0 sec 59.7 MBytes 50.0 Mbits/sec
[ 20] Sent 42553 datagrams
[ 19] 0.0-10.0 sec 59.7 MBytes 50.0 Mbits/sec
[ 19] Sent 42553 datagrams
[ 22] 0.0-10.0 sec 59.7 MBytes 50.0 Mbits/sec
[ 22] Sent 42553 datagrams
[SUM] 0.0-10.0 sec 1.17 GBytes 1.00 Gbits/sec
[ 5] Server Report:
[ 5] 0.0-10.0 sec 58.1 MBytes 48.7 Mbits/sec 0.173 ms 1100/42547 (2.6%)
[ 5] 0.0-10.0 sec 8 datagrams received out-of-order
[ 3] Server Report:
[ 3] 0.0-10.0 sec 57.6 MBytes 48.2 Mbits/sec 0.156 ms 1473/42546 (3.5%)
[ 3] 0.0-10.0 sec 4 datagrams received out-of-order
[ 13] Server Report:
[ 13] 0.0-10.0 sec 56.3 MBytes 47.2 Mbits/sec 0.164 ms 2368/42550 (5.6%)
[ 13] 0.0-10.0 sec 3 datagrams received out-of-order
[ 9] Server Report:
[ 9] 0.0-10.0 sec 57.1 MBytes 47.8 Mbits/sec 0.153 ms 1826/42549 (4.3%)
[ 9] 0.0-10.0 sec 2 datagrams received out-of-order
[ 15] Server Report:
[ 15] 0.0-10.0 sec 56.0 MBytes 46.9 Mbits/sec 0.148 ms 2596/42550 (6.1%)
[ 15] 0.0-10.0 sec 5 datagrams received out-of-order
[ 10] Server Report:
[ 10] 0.0-10.0 sec 56.9 MBytes 47.6 Mbits/sec 0.161 ms 1971/42550 (4.6%)
[ 10] 0.0-10.0 sec 2 datagrams received out-of-order
[ 7] Server Report:
[ 7] 0.0-10.0 sec 57.1 MBytes 47.8 Mbits/sec 0.161 ms 1827/42547 (4.3%)
[ 7] 0.0-10.0 sec 1 datagrams received out-of-order
[ 16] Server Report:
[ 16] 0.0-10.0 sec 55.7 MBytes 46.7 Mbits/sec 0.212 ms 2770/42537 (6.5%)
[ 16] 0.0-10.0 sec 11 datagrams received out-of-order
[ 17] Server Report:

```

```

[ 17] 0.0-10.0 sec 55.8 MBytes 46.7 Mbits/sec 0.159 ms 2756/42546 (6.5%)
[ 17] 0.0-10.0 sec 4 datagrams received out-of-order
[ 21] Server Report:
[ 21] 0.0-10.0 sec 57.5 MBytes 48.1 Mbits/sec 0.178 ms 1546/42548 (3.6%)
[ 21] 0.0-10.0 sec 1 datagrams received out-of-order
[ 22] Server Report:
[ 22] 0.0-10.0 sec 56.9 MBytes 47.6 Mbits/sec 0.204 ms 1969/42552 (4.6%)
[ 22] 0.0-10.0 sec 13 datagrams received out-of-order
[ 4] Server Report:
[ 4] 0.0-10.0 sec 57.3 MBytes 48.0 Mbits/sec 0.178 ms 1656/42545 (3.9%)
[ 4] 0.0-10.0 sec 10 datagrams received out-of-order
[ 8] Server Report:
[ 8] 0.0-10.0 sec 57.2 MBytes 47.9 Mbits/sec 0.159 ms 1763/42548 (4.1%)
[ 8] 0.0-10.0 sec 1 datagrams received out-of-order
[ 6] Server Report:
[ 6] 0.0-10.0 sec 57.3 MBytes 48.0 Mbits/sec 0.170 ms 1644/42548 (3.9%)
[ 6] 0.0-10.0 sec 5 datagrams received out-of-order
[ 11] Server Report:
[ 11] 0.0-10.0 sec 58.6 MBytes 49.1 Mbits/sec 0.160 ms 736/42546 (1.7%)
[ 11] 0.0-10.0 sec 2 datagrams received out-of-order
[ 14] Server Report:
[ 14] 0.0-10.0 sec 56.2 MBytes 47.0 Mbits/sec 0.180 ms 2481/42551 (5.8%)
[ 14] 0.0-10.0 sec 5 datagrams received out-of-order
[ 20] Server Report:
[ 20] 0.0-10.0 sec 55.8 MBytes 46.7 Mbits/sec 0.211 ms 2736/42552 (6.4%)
[ 20] 0.0-10.0 sec 2 datagrams received out-of-order
[ 18] Server Report:
[ 18] 0.0-10.0 sec 56.0 MBytes 46.9 Mbits/sec 0.213 ms 2582/42540 (6.1%)
[ 18] 0.0-10.0 sec 10 datagrams received out-of-order
[ 19] Server Report:
[ 19] 0.0-10.0 sec 55.6 MBytes 46.6 Mbits/sec 0.215 ms 2887/42552 (6.8%)
[ 19] 0.0-10.0 sec 9 datagrams received out-of-order
[ 12] Server Report:
[ 12] 0.0-10.0 sec 56.8 MBytes 47.5 Mbits/sec 0.200 ms 2048/42550 (4.8%)
[ 12] 0.0-10.0 sec 1 datagrams received out-of-order

```

BadgerNet Overview



The overview portion of this document has been created by BadgerNet / AT&T and edited by WiscNet. Its intent is to explain the requirements needed in order to procure accurate circuit testing results

Internet speed tests results may be impacted by several variables, including

- Tool used to test
- Location of testing laptop/PC in the network
- Time of day when test is run

Speed Testing Tools

Most of our members test their internet connection speeds using online browser based tests against servers hosted somewhere on the Internet, for example, <http://speedtest.wiscnet.net/>. These tests work fine for low bandwidth internet services but don't scale well for high speed internet connections. In order to get an accurate speed test a different testing tool like iperf should be used.

Location of testing laptop/PC in the network

Location of the testing PC/Laptop is critical for accurate test results. Note, from the diagram below, that location D is the best place to test your Internet speed from. The reliability of test results go down as we move the test point to C, B and A.

The configuration and capacity of the laptop is equally critical for the accuracy of circuit testing. Please ensure your laptop network cards and configuration are Gig/Capable.

Time of Day

Browser-based speed test results can also vary based on time of day, depending on the bandwidth consumed by the site users at the time the tests are run. For example, if a site has a 100Mbps connection and the users at the site are already consuming 60Mbps download and 25 Mbps upload sustained bandwidth for their business use, the test results will only show 40Mbps download and 75Mbps upload speeds. Therefore, it is recommended that these tests are run before and after business hours if you are using a browser base testing tool.

Mid-day Testing

Some WiscNet members desire to run speed test during business hours to see if they are getting full bandwidth during the day. In others instances, WiscNet will require the test to by-pass any LAN equipment in order to isolate the testing entirely to the circuit. **Note that an accurate mid-day test with iperf will be service impacting.** In order to run an accurate test during the day, a test window will be scheduled with WiscNet and in some cases with AT&T and WiscNet. The test will entail disconnecting the red cable, as shown in the drawing below, and connecting a laptop to the juniper switch at point D, thus effectively isolating the WAN from the site LAN. Disconnecting the red cable will disrupt service for the site users.

